

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1/9



Prior Art
Figure 1




Figure 2

2/9




Figure 3





Figure 5

3/9


150



B_{sat} of CoNiFe Films vs. Fe Content for HPT concentrations of 5ppm (circles), 15 ppm (squares), and 25 ppm (triangles)

Figure 4A


4/9



Easy Axis Coercivity of CoNiFe Films vs. Fe Content for HPT concentrations of 5ppm (circles), 15 ppm (squares), and 25 ppm (triangles)

Figure 4B

5/9



Hard Axis Coercivity of CoNiFe Films vs. Fe Content for HPT concentrations of 5ppm (circles), 15 ppm (squares), and 25 ppm (triangles)

Figure 4C

6/9

165





Fig. 4 Hard-axis anisotropy field of CoNiFe films as a function of iron content . Films electroplated in solutions with HPT concentration of 5 ppm (circles), 15 ppm (squares), and 25 ppm (triangles). The black and the gray symbols correspond to films electroplated is solutions with $NiSO_4 \cdot 6H_2O$ concentrations of 22 and 30 g/l respectively.

Figure 4D

7/9

170




Resistivity of CoNiFe Films vs. Fe Content for HPT concentrations of 5ppm (circles), 15 ppm (squares), and 25 ppm (triangles)

Figure 4E

8/9


175



Stress of CoNiFe Films vs. Fe Content for HPT concentrations of 5ppm (circles), 15 ppm (squares), and 25 ppm (triangles)

Figure 4F

9/9



Magnetostriction of CoNiFe Films vs. Fe Content for HPT concentrations of 5ppm (circles), 15 ppm (squares), and 25 ppm (triangles)

Figure 4G